



Datenblatt

M.I.T.T.E.S engineering GmbH
Oberschaden 32
4070 Puppung
Austria

Mobile –Rental Genset 33 kVA



Specification:

50Hz:

LTP: 33kVA - 26,4kW - 47 A, 400/ 230 V cos 0,8

60Hz:(Switchable to 60Hz)

LTP: 33kVA - 26,4kW - 47 A, 400/ 230 V cos 0,8

Engine : FPT IVECO, F32M1F

Alternator: Stamford PI144G

Connection: 63A, 32A, 16A , 230Vac Single Phase

Kupferschiene Kabenschuh 10 mm

Noise Level:

62 dB(A) in 7m.



Datenblatt

M.I.T.T.E.S engineering GmbH
Oberschaden 32
4070 Puppung
Austria

Exhaust Emission:

Stage 3a

Operation Modes:

- Isynchronous Mode (Island Mode)
- Mains Parallel
- Emergency Genset Control
- Synchronizing Feature
- Emergency Manual control
- Remote CB Control
- 100 % Supply in less than 15 sec.

Engine Preheating and Battery Charging Equipment

Controller:



Fuel Tank:

260 Liter Fuel on Board .

Connection of external Tank





Datenblatt

M.I.T.E.S engineering GmbH
Oberschaden 32
4070 Popping
Austria

Dimension and Weight :

- Length = 2,26m x Width = 1,04m x Height = 1,8m
- Weight 1360 kg incl. Diesel